

# 2 Port VGA Cable KVM Switch with Audio and Remote Switch

## KA2302




## Overview

The KA2302 2-Port VGA Cable KVM Switch with Audio and Remote Switch Control lets you control two computers with a single monitor, keyboard, mouse and audio peripheral set. Featured with integrated cables, the KA2302 can be connected directly to your system. The switch features a remote push-button on a 1.5 meter (5ft) integrated cable that can be placed in an easily accessible location, as well as keyboard hot-keys and mouse for switching between systems. The KA2302 supports resolution up to 2048x1536@60Hz.

## Product Features

- One KVM console controls 2 USB computers
- Independent switching of KVM and Audio focus
- Multiplatform support – Windows, Linux, Mac, Unix
- Computer selection via remote switch, mouse or hotkeys
- Supports hot-plugging
- Superior video quality –2048x1536@60Hz

## Connection Diagram



## Specifications

Model		KA2302
Computer Connections		2
Port Selection		Hotkey, Remote Switch, Mouse
Console	Monitor	1 x HDB-15 Female(blue)
	Keyboard, Mouse	2 x USB type A
	Microphone	1 x Min stereo port (pink)
	Speaker	1 x Min stereo port (green)
PC	Monitor	2 x HDB-15 Female(blue)
	Keyboard, Mouse	2 x USB type A
	Microphone	2 x Min stereo port (pink)
	Speaker	2 x Min stereo port (green)
LED	Selected	2 (green)
	Power	2 (orange)
Cables	KVM cable	900mm
	Remote Switch Cable	1500mm
Video Signal		2048x1536@60Hz
Operating Temperature		0 — 40°C
Storage Temperature		-20 — 60°C
Humidity		0~80% RH, non-condensing
Net Weight		0.36 kg
Dimension (W × D × H)		93.2mm × 84.5mm × 32.5mm