

USB DVI Cat5 KVM Extender KED101S







Overview


The KED101S USB DVI over Cat5e/Cat6 KVM Extender allows access to a computer system from a remote console (USB keyboard and mouse, monitor, stereo speakers, and microphone). It can deliver the video, stereo audio, USB signals up to 100 meters using single Cat5e / Cat 6 cable. With an easy cable installation supporting various signals, the KVM Extender is ideal for applications where convenient remote access is required – such as transportation control centers, medical facilities, industrial warehouses, and extended workstations. A complete set of KVM Extender consists of two parts - local unit and remote unit.

Product Features

- Extends video, audio, USB, RS-232 signals via a single Cat5e / Cat 6 cable
- Support HD video, resolution is up to 1920 x 1080
- Support USB 2.0 full speed ports
- Supports individual 2-channel stereo audio, 1 LINEIN + 1 LINEOUT
- Easy to install no software required connecting cables to the devices is all it takes



Connection Diagram





Specifications

| Model | | KED101S_TX | KED101S_RX |
|-------------------------------|--------------|-----------------------------------|------------------------|
| Connectors | Input | 1 x DVI | N/A |
| | Output | NA | 1 x DVI |
| | Power | 9V-12V | |
| | Network Port | 1 x RJ45 | |
| | Mic | 1 x 3.5mm Min stereo port (pink) | |
| | Speaker | 1 x 3.5mm Min stereo port (green) | |
| | USB Type B | 1 | N/A |
| | USB 2.0 | N/A | 2 x 2 layer USB type A |
| Resolution | | 1920 X 1080 @ 60 Hz (1080P) | |
| Connection Cable | | Cat 5e / 6 | |
| Power Input | | DC12V / 2A | |
| Power Consumption | | 5W | |
| Operating Temperature | | 0-40°C | |
| Storage Temperature | | -20-60°C | |
| Humidity | | 0-80%RH,Non-condensing | |
| N.W.(kg) | | 0.64 kg | |
| Product Dimension (W × D × H) | | 180 x 119.5 x 32.5mm | |
| Package Dimension (W × D × H) | | 260 x 179 x 102mm | |